

# DMB

## Drive Thru Outdoor LED Digital Menu Board

Drive Thru



# DMB

## Drive Thru Outdoor LED Digital Menu Board

Replace messy unclean printed posters with big LED screen beautiful digital menu board !

Fast ROI ! Outdoor All weather proof Ain One High brightness LED screen !



## What is DMB ?

DMB is Drive Thru Digital Menu Board LED screen all in one outdoor high brightness 6,000 nits, displaying nice picture with narrow pitch 3.3mm even under direct strong sunlight, all weather proof including water proof, vandal proof.

## What are advantages ?

Fast ROI by AD fees & increasing revenue

Replace messy unclean printed posters with beautiful video digital menu board displaying on big LED screen W 960mm (37.8") x H 1,440mm (56.7")

Manage various contents (updated menu, event, happy hour, new menu promotion, etc) on large number of screens at real time by server in office.

Able to control contents on screen by Mobile phone (Android / Iphone) or USB individually.

Displays nice picture with high brightness 6,000 nits including high end environmental automatic light sensor, narrow pitch 3.3mm even under strong direct sunlight. Excellent mobility for free standing with solid casters.

Narrow Pitch 3.3mm displays nice clear contents on led screen. Integrated All in One. User friendly

All weather proof including water proof IP65, Vandal proof. Slim neat chassis thickness 100mm (3.9") only

Customized design, screen size available. Warranty 2 years

## Where are big demands ?

Drive Thru in Fast food restaurants (Hamburger, Pizza, Sandwich, Taco, etc)

<b>LED</b>	Pixel Pitch	3.3mm	<b>LED</b>	Power supply	Free Voltage 100V~250V
	Pixel Configuration	3in1 SMD Chip		Working Voltage	DC 5V
	Screen size	W 960mm (37.8") x H 1,440mm (56.7")		Power Consumption	Max 1.5KW Average 0.5KW
	Module size	320mm (12.6") x 160mm (6.3")		Working Temperature	-30°C ~ +50°C
	Resolution	291 x 436		Ambient Humidity	10%-90%RH
	Brightness	6,000 nits		Ingress Protection	P65 Water proof
	Visual Angle	Horizontal:160°;Vertical:160°		Weather protection	All weather proof
	Storage capacity	8GB			
	Processing Depth	16 bits			
	Color number	16 M/28S		<b>CHASSIS</b>	Size
Data refresh rate	1920Hz	Weight	137KGS		
Pixel density	90000 dots /m2	Material	Steel sheet or Aluminum		
Scan	1/8				
Display Mode	Asynchronous with video source				
Data Communication	VGA Mapped/NTSC/PAL,JPG,BMP,AVI,WMV,RM etc				
Lifespan	100,000 hours				
LED Failure Rate	≤0.00001(Led display line standard<0.0001)			<b>4</b>	

# DMB

